

*Vent-Free Gas
Hearth Products*



Model 34ZC in Prestige Bookcase Mantel

Buck Stove Vent-Free Fireplace Systems...

Now you can add the warmth, charm and beauty of a fireplace to almost any room in your home. Vent-Free units require no chimney or venting system so there is no heat loss and installation is quick and easy. Buck Stove Vent-Free fireplaces are 99.9% fuel efficient and require no electricity making them the perfect alternative for emergency heat during power outages. Safety is a top priority with every Buck Stove Vent-Free Fireplace. All units are design certified and meet or exceed all regulations and safety program standards. Additionally, these units offer the dual function safety pilot system which protects against oxygen depletion and interruption in fuel supply. Available in Natural or LP Gas.

Model 34ZC



Shown With Brass Accents In Contemporary Mantel With Light Finish
(Also Available In Dark Finish)

The Model 34 ZC is our most popular vent-free Fireplace providing up to 33,000 BTU's of clean heat. Standard features include factory installed variable speed blower and thermostatically controlled gas which modulates to maintain desired heat output. Optional Millivolt gas valve for use with remote control or wall thermostat. Choose from numerous installation options to fit every need. Model 34ZC can be used as a masonry fireplace insert, freestanding with optional mantel or this unit can be built into existing wall for zero clearance application.

Model 34ZC Specifications*

Unit Dimensions	34" W x 23 1/4" H x 16" D
Classic Mantel Dimensions	49 1/2" W x 44" H x 18 1/2" D
Contemporary Mantel Dimensions	52 1/2" W x 43 1/2" H x 21 1/2" D
Prestige Mantel Dimensions	60 1/2" W x 39" H x 18 1/2" D
<i>Corner Mantel & Framing Dimensions Are Listed On The Back Page</i>	
Minimum Fireplace Dimensions	29 1/2" W x 24" H x 12" D
BTU/H Output	33,000
Blower	Yes
Millivolt & Modulating Control	Both Available (Specify When Ordering)
Manufactured Home Approved	Yes

*Size, Color, Style and Options on units and mantels are subject to change without notice.

34 With Black Accents In Classic Mantel With Dark Finish



34 With Brass Accents In Prestige Bookcase Mantel With Dark Finish



34 Fireplace Insert With Brass Accents & Standard Trim Kit



34 Pennyrein Insert With Brass Accents & Pennyrein Trim Kit



Model 384



Shown As Fireplace Insert With Trim Kit

Shown In Prestige
Mantel With Dark Finish



Shown As Freestanding
Unit With Black Legs



The Model 384 is the perfect gas fireplace for installation in your home. This fireplace has a new Ember Stove Base design with a glowing ember bed. The firebox area is made complete by Oak Style ceramic logs, and Boston Buff brick panels for the most realistic look available. This fireplace has a 33,000 BTU rating and factory installed blower system with built in thermostat to ensure that only warm air is circulated throughout your home. The gas control system (L.P. or Natural Gas) is a Millivolt style valve which allows you to use an optional remote control or wireless wall thermostat for extra convenience and comfort.

Model 384 Specifications*

Unit Dimensions	32" W x 23 1/2" H x 14 1/4" D
Classic Mantel Dimensions	49 1/2" W x 44" H x 18 1/2" D
Contemporary Mantel Dimensions	52 1/2" W x 43 1/2" H x 21 1/4" D
Prestige Mantel Dimensions	60 1/4" W x 39 1/2" H x 18 1/2" D
<i>Corner Mantel & Framing Dimensions Are Listed On The Back Page</i>	
Minimum Fireplace Dimensions	33" W x 25 1/4" H x 12 1/4" D
BTU/H Output	33,000
Blower	Yes
Millivolt & Modulating Control	Millivolt Only
Manufactured Home Approved	Yes

New Model 329

The New Model 329 will make a beautiful addition to almost any room while providing amazing warmth to your home. The 329 provides up to 33,000 BTU's and quietly circulates warm air throughout your home with the factory installed variable speed blower system. This unit can be freestanding with optional pedestal (Shown in picture), a fireplace insert with added trim kit, or in one of our beautiful mantels.

New Model 329 Specifications*

Unit Dimensions	29 1/4" W x 23 1/2" H x 15 1/2" D
Classic Mantel Dimensions	49 1/2" W x 44" H x 18 1/2" D
Contemporary Mantel Dimensions	52 1/2" W x 43 1/2" H x 21 1/4" D
Prestige Mantel Dimensions	60 1/4" W x 39 1/2" H x 18 1/2" D
<i>Corner Mantel Dimensions Are Listed On The Back Page</i>	
Minimum Fireplace Dimensions	29 1/2" W x 24" H x 6" D
BTU/H Output	33,000
Blower	Yes
Millivolt & Modulating Control	Both Available (Specify When Ordering)
Manufactured Home Approved	Yes



Shown As Freestanding With Pedestal

*Size, Color, Style and Options on units and mantels are subject to change without notice.

Models 1110 & 1127



1127 shown above in optional Prestige bookcase mantel.

These units prove that good things come in small packages. For just pennies per hour you can enjoy up to 10,000 BTU's (Model 1110) or up to 25,000 BTU's (Model 1127) of heat circulating throughout your home by the factory installed variable speed blower system. The model 1110 is approved for bedroom use (check local codes) and is identical in size and shape to the model 1127. Both models share the same great options and both models are wall mountable.

Models 1110 & 1127 Specifications*

Unit Dimensions	20 1/4" W x 22" H x 7" D
Prestige Mantel Dimensions	50 1/2" W x 36" H x 14" D
BTU/H Output	10,000 (Model 1110) 25,000 (Model 1127)
Millivolt & Modulating Control	Modulating Only
Available Options:	Deluxe Oak or White Mantel (Corner Mantel Dimensions Listed On Back Page)
	Corner Oak Mantel
	Prestige Bookcase Mantel
	Pedestal & Wall Mountable
Manufactured Home Approved	Yes

The Model 32 provides the beautiful appearance of a real fireplace with none of the hassle. Standard features include factory installed variable speed blower system. The Model 32 can be used as a fireplace insert with optional trim kit (shown), freestanding or with optional flat wall or corner mantel.

Model 32 Specifications*

Unit Dimensions	21 1/4" W x 25" H x 13 1/4" D
Mantel w/Hearth Dimensions	37 1/2" W x 38 1/2" H x 16" D
Corner Mantel w/Hearth	37 1/2" W x 38 1/2" H x 30 1/2" D
Minimum Fireplace Dimensions	21 1/4" W x 25 1/4" H x 13" D
BTU/H Output	33,000
Blower	Yes
Millivolt & Modulating Control	Modulating Only
Manufactured Home Approved	Yes

Model 32



Model ZCBB



Shown with Flush Mount Mantel



Shown with Optional Log Set (ZCBBXL)



Shown with Deluxe Mantel

Our Model ZCBB is available as a 36" or 42" zero clearance universal firebox. Install it almost anywhere since no chimney or hearth is required. Customize for the look you want with tile, rock or marble and add a raised hearth if you desire. The ZCBB offers an efficient heat circulating design which keeps warm air flowing. This fireplace is perfectly completed by adding a set of Buck Stove Vent-Free Ember Vision Gas Logs.

Model ZCBB Specifications*

36" ZCBB Unit Dimensions	39 1/4" W x 35 1/2" H x 19 1/2" D
36" Unit Mantel Dimensions	51 1/2" W x 51" H x 24 1/2" D
36" Flush Mantel Dimensions	60" W x 49 1/2" H x 6 1/2" D
42" ZCBB Unit Dimensions	45 1/2" W x 35 1/2" H x 19 1/2" D
42" Unit Mantel Dimensions	56" W x 51" H x 24 1/2" D

ZCBBXL Ember Vision 100 & 200 Logs are 40,000 BTU, millivolt only units. Corner Mantel & Framing Dimensions Are Listed On The Back Page.

Zero Clearance Fireplace Series...

Perfect for your new construction or remodeling project. You may choose from four zero clearance models. All units are equipped with factory installed variable speed blower systems and thermostatically controlled gas valves which modulate to maintain desired heat output. Enjoy the beauty of a fireplace at a fraction of the cost of a wood burning fireplace.

Model 36ZC



Shown With Optional Finished Mantel

Model 36ZC Specifications*	
Unit Dimensions	37 $\frac{1}{2}$ " W x 35 $\frac{1}{2}$ " H x 18 $\frac{1}{2}$ " D
Mantel Dimensions	51 $\frac{1}{2}$ " W x 51 $\frac{1}{2}$ " H x 26 $\frac{1}{2}$ " D
<i>Corner Mantel & Framing Dimensions Listed On Back Page</i>	
BTU/H Output	33,000

Model's 327ZC & 422C (not pictured) are similar in appearance to the 36ZC. The 327ZC is smaller in size and the 422C is larger in size from the 36ZC. Unit Dimensions and Specifications are listed on the back page.

Model BR10ZC




Shown With Optional Deluxe Mantel

Model BR10ZC Specifications*	
Unit Dimensions	25 $\frac{1}{2}$ " W x 23 $\frac{1}{2}$ " H x 13" D
Deluxe Mantel Dimensions	37 $\frac{1}{2}$ " W x 36" H x 15 $\frac{1}{2}$ " D
<i>Corner Mantel & Framing Dimensions Listed On Back Page</i>	
BTU/H Output	10,000
Bedroom Approved	Yes (Check Your Local Codes)

Model DV1000 ZC

Direct Vent Gas Unit

The DV1000ZC technologies built into this unit allow this model to be installed into any room in the house. Because the DV1000ZC uses outside air for combustion, bedroom use is not a problem. The standard features are pine logs with embers, firebrick panels, black louvers and a millivolt control gas valve. Available in LP or Natural gas.



Our industry leading flexible vent pipe (shown above) allows for more simplified installations. Typically, installation with a standard DV pipe requires multiple elbows, fittings and connections. These are eliminated by using this expandable flexible pipe.



Shown With Optional Flush Mount Mantel

Model DV1000 ZC Specifications*	
25,000 BTU/H Output	
Flush Mount Mantel Dimensions: 58 $\frac{1}{2}$ " W x 46 $\frac{1}{2}$ " H x 6" D	
DV1000 ZC Features:	DV1000 ZCXL Features:
Pine Logs With Embers	All Standard Features With Oak Logs
Firebrick Panels	Auto Blower Assembly
Black Louvers	Remote Control
L.P. or NAT Millivolt Control	

*Size, Color, Style and Options on units and mantels are subject to change without notice.

Stove Dimensions


Model	BTU/H Output	Unit Dimensions			Minimum Fireplace Dimensions			Framing Dimensions			Standard Trim Kit Dimensions		Oversized Trim Kit Dimensions	
		Width	Height	Depth	Width	Height	Depth	Width	Height	Depth	Top	Sides	Top	Sides
342C	33,000	34"	23 1/2"	16"	29 1/2"	24"	12"	33"	25 1/2"	12 1/2"	42 1/2" x 6 1/2"	30 1/2" x 6 1/2"	50" x 12 1/2"	36 1/2" x 7 1/2"
384	33,000	32"	23 1/2"	14 1/4"	33"	25 1/2"	12 1/2"	33"	25 1/2"	12 1/2"	45 1/2" x 6 1/2"	30 1/2" x 6 1/2"	47 1/2" x 12 1/2"	36 1/2" x 7 1/2"
		With Standard Legs 32" x 31 1/4" x 14 1/4"									Fits Fireplaces Up To: 44 1/2" W x 27 1/2" H		Fits Fireplaces Up To: 44 1/2" W x 33 1/2" H	
329	33,000	29 1/2"	23 1/2"	15 1/2"	29 1/2"	24"	6"	N/A	N/A	N/A	43" x 6 1/2"	30 1/2" x 6 1/2"	50" x 12 1/2"	36 1/2" x 10 1/2"
		With Pedestal 29 1/2" x 33 1/2" x 15 1/2"									Fits Fireplaces Up To: 40" W x 27 1/2" H		Fits Fireplaces Up To: 47" W x 33 1/2" H	
1127 & 1110	25,000	20 1/2"	22"	7"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	10,000	With Pedestal 20 1/2" x 29" x 7"												
32	33,000	21 1/2"	25"	13 1/2"	21 1/2"	25 1/2"	13"	N/A	N/A	N/A	39 1/4" x 9"	34 1/4" x 9"	45 1/4" x 12"	37 1/4" x 12"
		With Pedestal 21 1/2" x 29" x 13 1/2"									Fits Fireplaces Up To: 36 1/2" W x 31 1/2" H		Fits Fireplaces Up To: 42 1/2" W x 34 1/2" H	
ZCBB 36*	N/A	39 1/2"	35 1/2"	19 1/2"	N/A	N/A	N/A	40 1/2"	38 1/2"	20 1/2"	N/A	N/A	N/A	N/A
ZCBB 42*	N/A	45 1/2"	35 1/2"	19 1/2"	N/A	N/A	N/A	46 1/2"	38 1/2"	20 1/2"	N/A	N/A	N/A	N/A
327ZC	27,000	31 1/2"	30"	12 1/2"	N/A	N/A	N/A	31 1/2"	32 1/2"	13 1/2"	N/A	N/A	N/A	N/A
36ZC**	33,000	37 1/2"	35 1/2"	18 1/2"	N/A	N/A	N/A	37 1/2"	36 1/2"	21 1/2"	N/A	N/A	N/A	N/A
42ZC**	33,000	45 1/2"	35 1/2"	18 1/2"	N/A	N/A	N/A	45 1/2"	36 1/2"	19"	N/A	N/A	N/A	N/A
BR10ZC	10,000	25 1/2"	23 1/2"	13"	N/A	N/A	N/A	26 1/2"	25 1/2"	13 1/2"	N/A	N/A	N/A	N/A
DV1000	25,000	38 1/2"	33 1/2"	16 1/2"	N/A	N/A	N/A	37 1/2"	36 1/2"	17"	N/A	N/A	N/A	N/A

Mantel Dimensions

Model	Style	A	B	C	D	E	F
342C, 384 & 329	Classic	49 1/2"	18 1/2"	44"	49 1/2"	34 1/2"	39"
	Contemporary	52 1/2"	21 1/2"	43 1/2"	52 1/2"	37 1/2"	44 1/2"
	Prestige	60 1/2"	18 1/2"	39 1/2"	N/A	N/A	N/A
1127 & 1110	Deluxe	37"	14"	34"	37"	26"	37"
	White Deluxe	37"	14"	34"	N/A	N/A	N/A
	Prestige	50 1/2"	14"	36"	N/A	N/A	N/A
32	Standard	37 1/2"	16"	38 1/2"	37 1/2"	25 1/2"	30 1/2"
	Deluxe	51 1/2"	24 1/2"	51"	49 1/2"	35 1/2"	46 1/2"
ZCBB 36*	Flush Mount	60" Top	6 1/2" Top	49 1/2"	N/A	N/A	N/A
ZCBB 42*	Deluxe	56 1/2"	24 1/2"	51"	58"	40 1/2"	48 1/2"
327ZC	Standard	44 1/2"	16 1/2"	47 1/2"	44"	30 1/2"	38 1/2"
36ZC**	Standard	51 1/2"	26 1/2"	51 1/2"	51 1/2"	34 1/2"	50"
42ZC**	Standard	60"	24 1/2"	51 1/2"	60"	41 1/2"	51 1/2"
BR10ZC	Deluxe	37 1/2"	15 1/2"	36"	37 1/2"	25"	38 1/2"
DV1000	Flush Mount	58 1/2"	6"	46 1/2"	N/A	N/A	N/A

* ZCBBXL Packages include Ember Vision log sets with 40,000 BTU/H output, millivolt control, thermostat and remote. ZCBBXL packages have the same Unit, Framing and Mantel Dimensions as the ZCBB units.

** 36ZC & 42ZC units will not fit ZCBB Mantels and vice-versa. Please specify the correct mantel for your units when ordering.



New Buck Corporation

P.O. Box 69
 Spruce Pine, NC 28777
 Phone: (828) 765-6144
 Fax: (828) 765-0462
 Email: info@buckstovecorp.com
 Website: www.buckstove.com